



GLOBE VALVES

Cast Iron & Carbon Steel

DN 15 - 200 PN16 & (PN40 Carbon Steel)

Fig. GV116 & GV340


CE



Comercial de Válvulas y Accesorios, S.A.
Polígono Industrial Polizur, Calle Bosc Tancat, 6 Nave 2 y 3
08290 Cerdanyola del valles (Barcelona) – Spain Tel. 34 93 586 36 00 Fax 34 93 586 36 04
e-mail: info@cva.es
URL: www.ilx-valve.com

Remarks: The dimensions of this catalogue are for reference only and it can change without previous notice


Parts and Materials



Item	Description	Material
1	Body	EN-GJL250 (Fig.GV116) // 1.0619 (Fig.GV340)
2	Bonnet	EN-GJL250 (Fig.GV116) // 1.0619 (Fig.GV340)
3	Spindle	X 12 CrNi S 18 8
4	Disc	X 20 Cr 13
5	Seat	X 22 CrNi 17
6	Gland	EN-10025
6.1	Gland Retainer	EN-10087
7	Handw heel	EN-GJS 400
10	Gasket	Graphite
11	Packing	Graphite
12	Gland Bolts	5.6
15	Bolts	Fig. GV 116: 5,6 // Fig,340: 8,8
16	Handw heel nut	EN-10087
20	Threader Bushing	EN-10087
25	Anti Turn Device	EN-10025



General Dimensions



DN	A	C	ØB	Kvs	Weight	
					B116	B340
15	130	190	140	4	3	3,5
20	150	195	140	7	3,9	4,3
25	160	220	140	11	4,3	6,3
32	180	219	140	19	5,6	7,3
40	200	254	180	30	10,5	12,5
50	230	265	180	46	12,5	15
65	290	328	200	70	20,5	22,5
80	310	341	200	115	26	27,5
100	350	376	250	150	39	42
125	400	488	330	220	52,5	67
150	480	531	330	310	80	99
200	600	663	400	675	152	200

Dimensions in mm and weight in kg.




Comercial de Válvulas y Accesorios, S.A.
 Polígono Industrial Polizur, Calle Bosc Tancat, 6 Nave 2 y 3
 08290 Cerdanyola del valles (Barcelona) – Spain Tel. 34 93 586 36 00 Fax 34 93 586 36 04
 e-mail: info@cva.es
 URL: www.ilx-valve.com

Remarks: The dimensions of this catalogue are for reference only and it can change without previous notice

General Characteristics

Figure	Material	PN
G116	EN-GJL-250	16
G340	10.619	40
DESIGN STANDARDS		
Valve Design	DIN 3840	
Flanged dimensions	EN 1092	
Face to Face Dimensions	EN 558 Series 1	
Visual Inspection	MSS SP-55	
Marking	EN 19	

— EN-GJL-25 — 1.0619



Main Characteristics:

- *Asbestos Free packing and seals
- **Non-rising spine!!*
- *Position Indicator
- *“Back” seat device!!

- Applications:**
- No corrosive or no toxic fluids
 - Steam
 - Hydrocarbons

Options:
(On request)

- A** Throttling plug
- B** Disc with soft seat
- C** Throttling plug+Soft seat
- D** Conical seat disc



Comercial de Válvulas y Accesorios, S.A.
 Polígono Industrial Polizur, Calle Bosc Tancat, 6 Nave 2 y 3
 08290 Cerdanyola del valles (Barcelona) – Spain Tel. 34 93 586 36 00 Fax 34 93 586 36 04
 e-mail: info@cva.es
 URL: www.ilx-valve.com

Remarks: The dimensions of this catalogue are for reference only and it can change without previous notice